The Odisha Gazette

EXTRAORDINARY

PUBLISHED BY AUTHORITY

No. 2104 CUTTACK, TUESDAY, JULY 15, 2025/ASADHA 24, 1947

FOREST, ENVIRONMENT & CLIMATE CHANGE DEPARTMENT

NOTIFICATION

The 30th June 2025

S.R.O. No. 488/2025—Whereas, Forest Block Gobara-B RF under Section 20(A) of the Indian Forest Act, 1927, has been notified by Government of Odisha, Revenue Department Notification No. 12F-139(M/2)-59-41164, dated the 28th November 1959 indicating an Area of 651.56 ha as per Working Plan of Athagarh Division (2007-08 to 2016-17) in Khuntuni Forest Range of Athagarh Forest Division as per Annexure-I ;

And whereas, the Government of Odisha in the Forest & Environment Department have notified a "Standard Operating Procedure (SOP) for geo-referencing of Forest Block boundary through DGPS Survey" in the *Odisha Gazette* vide Notification No. 22572400112016-10F(Cons)-77/2016-14097-F&E , dated the 4th July 2017, for preparation of such geo-referenced forest maps in pursuance of the directives of Hon'ble Supreme Court in their order, dated the 6th July 2011 [in IA Nos.1868, 2091, 2225—2227, 2380, 2568 and 2937 in Writ Petition (C) No. 202 of 1995 - Lafarge matter] ;

And whereas, the Government of Odisha have appointed all Tehsildars in their respective Tehsil jurisdiction in the respective districts as Forest Settlement Officer (FSO), vide Notification No. 7767—10F(TR)38/2020-F&E, dated the 21st May 2020 ;

And whereas, the Forest Revenue Joint Verification Committee has jointly verified and confirmed the boundary pillar positions as per report in Annexure-II ;

And whereas, the Forest Settlement Officer has certified 'No Change' in the boundary extent of Gobara-B RF post 25th October 1980. The DGPS survey boundary co-ordinates have been verified by ORSAC and certified by the Forest Settlement Officer. The computed area (UTM Zone 45N projection and WGS 84 datum) of the Gobara-B RF is 544.589 ha or 1345.71 Ac. The change in area is due to method of Survey & Area Computation.

Therefore, it has been decided to supplement the existing notification of the Gobara-B RF with the above-mentioned FSO certified DGPS surveyed Forest Block map as per Annexure-III, and the statement of geo-co-ordinates of the Forest Block boundary pillar positions as per Annexure-IV, which shall be treated as the precise boundary description of the Gobara-B RF and shall form an integral part of the original notification in place of any other form of boundary description notified earlier.

There shall be no change to the admitted rights in the original notification.

[No. 15679—PT3-FE-DIV-MISC-0011/2016-10F(Cons)-34/2020-FE & CC.]

By order of the Governor

SATYABRATA SAHU

Additional Chief Secretary to Government

DEVELOPMENT DEPARTMENT

NOTIFICATIONS

The 7th October 1959

No. 36554—12-11(D)/59-D.—In pursuance of sub-section(1) the Indian Forest Act, 1927 (16 of 1927), the State Government do hereby direct that the Forest area of 10·86 acres as specified below out of the total area of 883 acres of Garjan Block which according to Working Plan of Reserved Forest of Kalahandi was treated as Reserved Forest shall cease to be Reserved Forest with effect from the date of notification.

Specification of the disafforested area

Name of the Reserve or portions of the Reserve disafforested	District	Pargana	Village	Area in acres
(1)	(2)	(3)	(4)	(5)
Garjan ..	Kalahandi	Junagarh	Jamobuan	10·86

Boundaries

North—Bhatrajore Minor Irrigation Project area

South—Part of Garjan Reserved Forest and part of Bhatrajore Minor Irrigation Project area.

East—Part of Bhatrajore Minor Irrigation Project area

West—Part of Garjan Reserved Forest

Brief description—Miscellaneous forest without any valuable forest growth.

Reasons for disafforestation—Coming under submerged area due to construction of Bhatrajore Minor Irrigation Project.

The 7th October 1959

No. 36556—12F-41 (D)/59-D.—In pursuance of sub-section 27 of the Indian Forest Act, 1927 (16 of 1927), the State Government do hereby direct that the Forest area of 22·87 acres as specified below out of the total area of 7,439 acres of Ghana block which according to Working Plan of Reserved Forest of Kalahandi was treated as Reserved Forest shall cease to be Reserved Forest with effect from the date of notification.

Specification of the disafforested area

Name of the Reserve or portions of the Reserve disafforested	District	Pargana	Village	Area in acres
(1)	(2)	(3)	(4)	(5)
Ghana ..	Kalahandi	Junagarh	Golamunda	22·87

Boundaries

North—Part of Ghana Reserved Forest

East—Part of Ghana Reserved Forest

South—Part of Ghana Reserved Forest and part of Bhatrajore Minor Irrigation Project area.

West—Part of Ghana Reserved Forest and part of Bhatrajore Minor Irrigation Project area.

Brief description—Miscellaneous Forest without any valuable forest growth.

Reasons for disafforestation—Coming under submerged area due to construction of Bhatrajore Minor Irrigation Project.

The 28th November 1959

No. 41164—12F-139(M/2)/59-D.—In pursuance of sub-section (3) of section 20-A of the Indian Forest Act, 1927 (XVI of 1927), as amended subsequently in its application to the State of Orissa by Orissa Act XI of 1954, the State Government do hereby certify that the document mentioned in the schedule hereto annexed had been prepared under the authority of the Rule of Athgarh State before the date of merger and has been under the authority of the State Government continued to be recognised, maintained and acted upon thereafter.

SCHEDULE

1. Register of Reserved and Protected Forests of Athgarh State.

The 30th November 1959

No. 41376—12F-139(M/2)/59-D.—In pursuance of sub-section (3) of section 20-A of the Indian Forest Act, 1927 (XVI of 1927), as amended subsequently in its application to the State of Orissa by Orissa Act XI of 1954, the State Government do hereby certify that the documents mentioned in the Schedule hereto annexed had been prepared under the authority of the Ruler of Mayurbhanj State before the date of merger and have been under the authority of the State Government continued to be recognised, maintained and acted upon thereafter.

SCHEDULE

1. The Mayurbhanj Forest Manual
2. Working plan for the Simlipal and Notto reserves, Mayurbhanj State for the year 1947-1948 to 1966-67.
3. Register of reserved forests of Western Division
4. Register of reserved forests of Northern Division
5. Register of reserved forests of Southern Division

The 30th November 1959

No. 41378—12F-139(M/2)/59-D.—In pursuance of sub-section (3) of section 20-A of Indian Forest Act, 1927 (XVI of 1927), as amended subsequently in its application to the State of Orissa by Orissa Act XI of 1954, the State Government do hereby certify that the documents mentioned in the Schedule hereto annexed had been prepared under the authority of the Ruler of Bamra State before the date of merger and have been under the authority of the State Government continued to be recognised, maintained and acted upon thereafter.

SCHEDULE

1. Register of Reserve forests of Bamra State
2. Notification of the 25th June 1946, declaring the Mansar forest block in Bamra as reserved.

By order of the Governor

O. C. DASH

Secretary to Government

CERTIFIED TO BE TRUE COPY

Record Keeper
Board of Revenue, Orissa
Cuttack, Date....
Authorised U/S 76 Act I of 187

Division. Mostly these encroachments are very old and well established. The maps are also not available for most of the blocks. Hence there are difficulties in defining the boundaries. As a result difference in the notified area and the computed area has come up. It is suggested that steps should be taken to carry out the fresh survey of all the blocks and correct the maps using modern equipments like GPS.

Table:1.13 AREA STATEMENT OF ATHGARH DIVISION

Range	Forest Block	Area in Ha.	Notification No.& Date	Remarks
NARSINHGPUR EAST	1.Nuagarh RF	4269.58	No.34016-12F-179(M)-57 Dt.9.11.57.	
	2.Deobhuin RF	6545.61	-do-	
	3. Olab RF	2700.15	-do-	
	4.Chandragiri 'B'RF	742.62		
	5.Mundagada B' RF	131.93	-do-	
	Total RF	**14389.89**		
	6.Bhuska PRF	**184.13**	No.8291dtd. 07.02.79	9 ha encroached
NARSINGHPUR WEST	7. Balikiyari RF	5524.15	No.34016-12F-179(M)-57 Dt.9.11.57.	
	8. Barakhol 'B'RF	1238.38		3 ha encroached
	9. Brahmandei 'B' RF	106.84	-do-	2.5 ha encroached
	Total RF	**6869.37**		
	10. Balikiary-II PRF	248.89	No.7179dtd.23.01.79	5 ha encroached
	Total PRF	**248.89**		
BARAMBA	11. Chandragiri (A) RF	427.31	-do-	
	12.Haladiaseni RF	3866.98	No.9562/D-12F-42 (M/2) 58 dt.14.3.59.	
	13.Badajora RF	1179.13	-do-	8 ha encroached
	14.Taraiganda RF	1043.72	-do-	20 ha encroached
	15. Kumaranga RF	410.39	-do-	10 ha encroached
	16.Talachandragiri (B) RF	815.71	-do-	65 ha encroached
	17. Nagatota (B) RF	2131.96	-do-	24 ha encroached
	18. Mandap (B) RF	430.6	-do-	6 ha encroached
	19.Jagabeherathali (B) RF	305.04	-do-	16 ha encroached
	20. Karada (B) RF	1273.99	-do-	30 ha encroached
	21. Belapada (B) RF	108.78	-do-	7 ha encroached

	22. Jhinkal (B) RF	472.85	-do-	10 ha encroached
	Total RF	**12466.46**		
	23. Baghamundia PRF	97.43	No. 5670 dt. 25.01.80	
	24. Khalidhip Janisahi PRF	23.22	No. 5682 dt. 25.01.80	
	25. Kandhamundia PRF	22.09	No. 5816 dt. 25.01.80	
	26.Gothamundia PRF	86.73	No. 5678 dt. 25.01.80	
	27. Birigadia PRF	47.75	No. 5674 dt. 25.01.80	5 ha encroached
	28. Kabatbar PRF	60.13	No. 5666 dt. 25.01.80	
	29. Ganguari PRF	31.97	No. 5662 dt. 25.01.80	
	30. Telunia	18.21	No. 24739 dt.02.04.80	10 ha encroached
	Total PRF	**387.53**		
ATHGARH	31. Sukhasan RF	1036.03	12(F)-139(M/2) (59) 41164 dt.28.11.59.	50 ha encroached
	32.Khalakhala (B) RF	562.53	-do-	13 ha encroached
	33.Baudabanakhandi(B) RF	446.38	-do-	
	34. Oringa (B) RF	455.28	-do-	100 ha encroached
	35.Jenapada (B) RF	171.59	-do-	6 ha encroached
	36. Subasi (1&2Part) RF	790.14	-do-	
	37. Ranibania (C-1) RF	283.37	-do-	
	38. Adal (B) RF	252.7	-do-	6 ha encroached
	39.Nizigarh (B) RF	789.16	-do-	28 ha encroached
	40.Kalichaballabh (B) RF	744.64	6729dt.25.2.58	20 ha encroached
	41. Sorispal(B) RF	713.89	-do-	30 ha encroached
	Total RF	**6245.71**		
	42. Saranda PRF	162.93	No. 63694 dt .17.11.70	
	43. Phulbadi PRF	363.42	No. 63690 dt .17.11.70	
	44. Megha PRF	53.82	No.30602 dt. 18.04.79	
	45. Kandarapur PRF	16.59	No. 49363 dt. 06.07.79	
	Total PRF	**596.76**		
KHUNTUNI	46.Baniabandha RF	5919.95	12F-139(M/2)59-41164 dt.28.11.59	55 ha encroached
	47.Gobara (B) RF	651.56	-do-	100 ha encroached
	48.Sankhapoi (B) RF	519.63	-do-	15 ha encroached
	49.Baula (B) RF	99.55	-do-	1.5 ha encroached
	50.Suniamuhan (B) RF	214.89	-do-	4 ha encroached
	51. Brahmanbasta (B) RF	359.37	-do-	32 ha encroached
	Ranibania (part) RF	785.84	-do-	
	Subasi (part) RF	600.00	-do-	5 ha encroached

Annexure-II

FOREST REVENUE JOINT VERIFICATION COMMITTEE REPORT

Forest Division: Athgarh **Forest Range:** Khuntuni

Minutes of Joint Verification:

List of participation of the Forest-Revenue joint verification committee is given at Table 1.

VerificatJointion of the boundary of **Gobara (B) RF** Forest Block was carried out during 01-01-0001 to 27-12-2021. Existing pillar position recorded through GPS were plotted and compared against geo-referenced cadastral maps of adjoining villages. The verified forest boundary map is enclosed at Plate-1. Findings of the verification w.r.t. revenue cadastral is given below:

- Name of notified forest block: Gobara (B) RF
- Notification no. & date: 12F-139 (M/2)59-4164 Dt. 28-11-1960
- Area as per notification: 651.56 Ha.
- Existing no. of boundary demarcations in conformity with adjoining village boundary: 54 nos. (Annexure -1)
- New boundary demarcations in conformity with adjoining village boundary: 76 nos. (Annexure -2)
- GPS area of verified boundary: 544.260 ha
- GPS perimeter of verified boundary: 17.654 km

Observations:

Notification & Traverse map is not available. Area as per Division record = 651.560 Ha. The verified boundary area is found to be -107.295 Ha, i.e. -16.47 % less than NFA. Forest boundary demarcation Pillars are in Conformity with Cadastral Map, existing pillars & HRSI. The Change in area may be due to old Survey techniques.Since all peripheral settlements have occurred prior to 1980, there is no implication under FC Act.

TABLE - 1

Forest and Revenue department officials (RO/FR/FG/RI/Amin) and TP involved in Joint verification of Forest Boundary		
Name	Designation	Signature
Manoja Kumar Sahoo	Revenue Inspector	Revenue Inspector Gurudijhatia
Ajaya Kumar Das	Forest Guard	
Jugalananda Behera	Forester	Forester Gurudijhatia Section
Gajendra Pal Singh Meda	RO, Khuntuni	Forest Range Officer Khuntuni Range

Counter Signed by :

Tahsildar
TAHASILDAR
Athagarh

Divisional Forest Officer
Divisional Forest Officer
Athagarh Division

Annexure-II



Geo-referencing of Revised Boundary
Athagarh Forest Division

Reference Forest Block Boundary Map
w.r.t Adjacent Revenue Village (Cadastral) Boundary
(based on Forest-Revenue Jt. Verification)

Gobara-B R.F., Khuntuni Range

0.5 0 0.5 1 km

Legend

- Existing Pillar (54 nos)
- New Pillar (76 nos)
- Virtual Pillar (4 nos)
- Rejected Pillar (2 nos)
- RF Boundary
- Village Boundary

Index Map

Athagarh Forest Division

Notified Area = 651.56 ha.
GPS area* as per joint verification = 544.260 ha.
*(*Projected area in UTM Prj, Zone 45N & WGS 84 Datum)*

Surveyor (CDLTP) Forester Revenue Inspector Forest Range Officer
Khuntuni Range

Forester
Revenue Inspector
Surveyor (CDLTP)



GOBARA-B R.F.

Forest Division : ATHAGARH, Forest Range : KHUNTUNI

Geo-referenced Forest Block Map based on DGPS Survey

Legend :-

- Forest Boundary Pillar / Virtual Pillar
- FSCP on Forest Boundary
- Forest Block Boundary
- Revenue Village Boundary
- Settlement
- Range Boundary
- Railway
- Major Road
- Other Road
- River / Stream / WB

Statement of Geo-coordinates of Pillar Position (UTM Zone:45N, WGS 84 Datum)

Athagarh Forest Division, Khuntuni Range

Pillar No.	Longitude	Latitude	Pillar No.	Longitude	Latitude
GPS01	85° 48' 30.0000"	20° 37' 4.6100"	68	85° 48' 39.4354"	20° 35' 50.4836"
2	85° 48' 34.7396"	20° 37' 6.5346"	69	85° 48' 35.6975"	20° 35' 52.7146"
3	85° 48' 45.0742"	20° 37' 8.6982"	70	85° 48' 31.4462"	20° 35' 55.2993"
4	85° 48' 55.5757"	20° 37' 11.1858"	71	85° 48' 27.1688"	20° 35' 58.0972"
5	85° 48' 54.1916"	20° 37' 15.5941"	72	85° 48' 25.1259"	20° 36' 0.8852"
6	85° 48' 58.3410"	20° 37' 16.2281"	73	85° 48' 24.4921"	20° 36' 3.3287"
7	85° 48' 6.9431"	20° 37' 17.1834"	74	85° 48' 23.0696"	20° 36' 5.8826"
8	85° 48' 8.2778"	20° 37' 18.3882"	75	85° 48' 21.7091"	20° 36' 10.2941"
9	85° 49' 8.0736"	20° 37' 15.0939"	76	85° 48' 19.4550"	20° 36' 13.0052"
10	85° 49' 8.1828"	20° 37' 20.9481"	77	85° 48' 17.0998"	20° 36' 15.5332"
11	85° 49' 11.0744"	20° 37' 19.9146"	78(A)	85° 48' 15.5583"	20° 36' 17.2814"
12	85° 49' 14.3324"	20° 37' 20.0858"	79	85° 48' 14.2284"	20° 36' 19.2570"
13	85° 49' 20.6473"	20° 37' 20.9474"	80	85° 48' 12.8715"	20° 36' 21.1745"
14	85° 49' 22.0854"	20° 37' 20.8979"	81	85° 48' 11.5063"	20° 36' 23.0866"
15	85° 49' 24.5497"	20° 37' 20.9124"	82(PCP)	85° 48' 10.0855"	20° 36' 24.9199"
16(A)	85° 49' 30.0576"	20° 37' 19.8609"	83	85° 48' 8.7126"	20° 36' 27.1299"
17(A)	85° 49' 38.1195"	20° 37' 16.6412"	84(A)	85° 48' 6.8361"	20° 36' 29.1964"
18	85° 49' 45.6705"	20° 37' 17.6986"	85	85° 48' 7.4883"	20° 36' 28.9532"
19	85° 49' 40.7612"	20° 37' 15.5337"	86	85° 48' 8.7358"	20° 36' 29.4856"
20	85° 49' 38.9477"	20° 37' 8.8779"	87	85° 48' 8.0996"	20° 36' 31.4437"
21	85° 49' 38.4566"	20° 37' 4.4884"	88	85° 48' 10.0738"	20° 36' 31.5205"
22	85° 49' 40.1777"	20° 36' 59.5785"	89	85° 48' 12.5828"	20° 36' 33.1784"
23	85° 49' 40.2572"	20° 36' 55.3878"	90	85° 48' 11.3659"	20° 36' 35.0909"
24	85° 49' 38.1770"	20° 36' 52.9923"	91	85° 48' 7.6182"	20° 36' 33.8722"
25	85° 49' 35.9196"	20° 36' 50.8420"	92	85° 48' 3.8747"	20° 36' 32.8900"
26	85° 49' 28.6437"	20° 36' 47.4545"	93	85° 48' 0.8680"	20° 36' 31.8743"
27	85° 49' 30.0043"	20° 36' 42.5037"	94	85° 48' 1.7884"	20° 36' 30.0489"
28	85° 49' 28.8743"	20° 36' 42.7336"	95	85° 48' 2.8337"	20° 36' 30.1413"
29	85° 49' 27.3857"	20° 36' 43.3966"	96	85° 48' 3.8898"	20° 36' 30.0906"
30	85° 49' 24.8450"	20° 36' 44.0"	97	85° 48' 4.8"	20° 36' 30.0"
31	85° 49' 18.1"	20° 36' 44.0"	98	85° 48' 5.0"	20° 36' 30.0"
32	85° 49' 18.0"	20° 36' 43.0"	99	85° 48' 5.0"	20° 36' 29.0"
33	85° 49' 18.0"	20° 36' 42.0"	100	85° 48' 5.0"	20° 36' 28.0"
34	85° 49' 17.0"	20° 36' 41.0"	101	85° 48' 5.0"	20° 36' 27.0"
35	85° 49' 16.0"	20° 36' 40.0"	102	85° 48' 5.0"	20° 36' 26.0"
36	85° 49' 15.0"	20° 36' 39.0"	103	85° 48' 5.0"	20° 36' 25.0"
37	85° 49' 14.0"	20° 36' 38.0"	104	85° 48' 5.0"	20° 36' 24.0"
38	85° 49' 13.0"	20° 36' 37.0"	105	85° 48' 5.0"	20° 36' 23.0"
39	85° 49' 12.0"	20° 36' 36.0"	106	85° 48' 5.0"	20° 36' 22.0"
40	85° 49' 11.0"	20° 36' 35.0"	107	85° 48' 5.0"	20° 36' 21.0"
41	85° 49' 10.0"	20° 36' 34.0"	108	85° 48' 5.0"	20° 36' 20.0"
42	85° 49' 9.0"	20° 36' 33.0"	109	85° 48' 5.0"	20° 36' 19.0"
43	85° 49' 8.0"	20° 36' 32.0"	110	85° 48' 5.0"	20° 36' 18.0"
44	85° 49' 7.0"	20° 36' 31.0"	111	85° 48' 5.0"	20° 36' 17.0"
45	85° 49' 6.0"	20° 36' 30.0"	112	85° 48' 5.0"	20° 36' 16.0"
46	85° 49' 5.0"	20° 36' 29.0"	113	85° 48' 5.0"	20° 36' 15.0"
47	85° 49' 4.0"	20° 36' 28.0"	114	85° 48' 5.0"	20° 36' 14.0"
48	85° 49' 3.0"	20° 36' 27.0"	115	85° 48' 5.0"	20° 36' 13.0"
49	85° 49' 2.0"	20° 36' 26.0"	116	85° 48' 5.0"	20° 36' 12.0"
50	85° 49' 1.0"	20° 36' 25.0"	117	85° 48' 5.0"	20° 36' 11.0"
51	85° 49' 0.0"	20° 36' 24.0"	118	85° 48' 5.0"	20° 36' 10.0"
52	85° 48' 59.0"	20° 36' 23.0"	119	85° 48' 5.0"	20° 36' 9.0"
53	85° 48' 58.0"	20° 36' 22.0"	120	85° 48' 5.0"	20° 36' 8.0"
54	85° 48' 57.0"	20° 36' 21.0"	121	85° 48' 5.0"	20° 36' 7.0"
55	85° 48' 56.0"	20° 36' 20.0"	122	85° 48' 5.0"	20° 36' 6.0"
56	85° 48' 55.0"	20° 36' 19.0"	123	85° 48' 5.0"	20° 36' 5.0"
57	85° 48' 54.0"	20° 36' 18.0"	124	85° 48' 5.0"	20° 36' 4.0"
58	85° 48' 53.0"	20° 36' 17.0"	125	85° 48' 5.0"	20° 36' 3.0"
59	85° 48' 52.0"	20° 36' 16.0"	126	85° 48' 5.0"	20° 36' 2.0"
60	85° 48' 51.0"	20° 36' 15.0"	127	85° 48' 5.0"	20° 36' 1.0"
61	85° 48' 50.0"	20° 36' 14.0"	128	85° 48' 5.0"	20° 36' 0.0"
62	85° 48' 49.0"	20° 36' 13.0"	129	85° 48' 5.0"	20° 35' 59.0"
63	85° 48' 48.0"	20° 36' 12.0"	130	85° 48' 5.0"	20° 35' 58.0"
64	85° 48' 47.0"	20° 36' 11.0"	131	85° 48' 5.0"	20° 35' 57.0"
65	85° 48' 46.0"	20° 36' 10.0"	132	85° 48' 5.0"	20° 35' 56.0"
66	85° 48' 45.0"	20° 36' 9.0"	133	85° 48' 5.0"	20° 35' 55.0"
67	85° 48' 44.0"	20° 36' 8.0"	134	85° 48' 5.0"	20° 35' 54.0"
68	85° 48' 43.0"	20° 36' 7.0"	135	85° 48' 5.0"	20° 35' 53.0"
69	85° 48' 42.0"	20° 36' 6.0"	136	85° 48' 5.0"	20° 35' 52.0"
70	85° 48' 41.0"	20° 36' 5.0"	137	85° 48' 5.0"	20° 35' 51.0"
71	85° 48' 40.0"	20° 36' 4.0"	138	85° 48' 5.0"	20° 35' 50.0"
72	85° 48' 39.0"	20° 36' 3.0"	139	85° 48' 5.0"	20° 35' 49.0"
73	85° 48' 38.0"	20° 36' 2.0"	140	85° 48' 5.0"	20° 35' 48.0"
74	85° 48' 37.0"	20° 36' 1.0"	141	85° 48' 5.0"	20° 35' 47.0"
75	85° 48' 36.0"	20° 36' 0.0"	142	85° 48' 5.0"	20° 35' 46.0"
76	85° 48' 35.0"	20° 35' 59.0"	143	85° 48' 5.0"	20° 35' 45.0"
77	85° 48' 34.0"	20° 35' 58.0"	144	85° 48' 5.0"	20° 35' 44.0"
78	85° 48' 33.0"	20° 35' 57.0"	145	85° 48' 5.0"	20° 35' 43.0"
79	85° 48' 32.0"	20° 35' 56.0"	146	85° 48' 5.0"	20° 35' 42.0"
80	85° 48' 31.0"	20° 35' 55.0"	147	85° 48' 5.0"	20° 35' 41.0"
81	85° 48' 30.0"	20° 35' 54.0"	148	85° 48' 5.0"	20° 35' 40.0"
82	85° 48' 29.0"	20° 35' 53.0"	149	85° 48' 5.0"	20° 35' 39.0"
83	85° 48' 28.0"	20° 35' 52.0"	150	85° 48' 5.0"	20° 35' 38.0"
84	85° 48' 27.0"	20° 35' 51.0"	151	85° 48' 5.0"	20° 35' 37.0"
85	85° 48' 26.0"	20° 35' 50.0"	152	85° 48' 5.0"	20° 35' 36.0"
86	85° 48' 25.0"	20° 35' 49.0"	153	85° 48' 5.0"	20° 35' 35.0"
87	85° 48' 24.0"	20° 35' 48.0"	154	85° 48' 5.0"	20° 35' 34.0"
88	85° 48' 23.0"	20° 35' 47.0"	155	85° 48' 5.0"	20° 35' 33.0"
89	85° 48' 22.0"	20° 35' 46.0"	156	85° 48' 5.0"	20° 35' 32.0"
90	85° 48' 21.0"	20° 35' 45.0"	157	85° 48' 5.0"	20° 35' 31.0"
91	85° 48' 20.0"	20° 35' 44.0"	158	85° 48' 5.0"	20° 35' 30.0"
92	85° 48' 19.0"	20° 35' 43.0"	159	85° 48' 5.0"	20° 35' 29.0"
93	85° 48' 18.0"	20° 35' 42.0"	160	85° 48' 5.0"	20° 35' 28.0"
94	85° 48' 17.0"	20° 35' 41.0"	161	85° 48' 5.0"	20° 35' 27.0"
95	85° 48' 16.0"	20° 35' 40.0"	162	85° 48' 5.0"	20° 35' 26.0"
96	85° 48' 15.0"	20° 35' 39.0"	163	85° 48' 5.0"	20° 35' 25.0"
97	85° 48' 14.0"	20° 35' 38.0"	164	85° 48' 5.0"	20° 35' 24.0"
98	85° 48' 13.0"	20° 35' 37.0"	165	85° 48' 5.0"	20° 35' 23.0"
99	85° 48' 12.0"	20° 35' 36.0"	166	85° 48' 5.0"	20° 35' 22.0"
100	85° 48' 11.0"	20° 35' 35.0"	167	85° 48' 5.0"	20° 35' 21.0"
101	85° 48' 10.0"	20° 35' 34.0"	168	85° 48' 5.0"	20° 35' 20.0"
102	85° 48' 9.0"	20° 35' 33.0"	169	85° 48' 5.0"	20° 35' 19.0"
103	85° 48' 8.0"	20° 35' 32.0"	170	85° 48' 5.0"	20° 35' 18.0"
104	85° 48' 7.0"	20° 35' 31.0"	171	85° 48' 5.0"	20° 35' 17.0"
105	85° 48' 6.0"	20° 35' 30.0"	172	85° 48' 5.0"	20° 35' 16.0"
106	85° 48' 5.0"	20° 35' 29.0"	173	85° 48' 5.0"	20° 35' 15.0"
107	85° 48' 4.0"	20° 35' 28.0"	174	85° 48' 5.0"	20° 35' 14.0"
108	85° 48' 3.0"	20° 35' 27.0"	175	85° 48' 5.0"	20° 35' 13.0"
109	85° 48' 2.0"	20° 35' 26.0"	176	85° 48' 5.0"	20° 35' 12.0"
110	85° 48' 1.0"	20° 35' 25.0"	177	85° 48' 5.0"	20° 35' 11.0"
111	85° 48' 0.0"	20° 35' 24.0"	178	85° 48' 5.0"	20° 35' 10.0"
112	85° 47' 59.0"	20° 35' 23.0"	179	85° 48' 5.0"	20° 35' 9.0"
113	85° 47' 58.0"	20° 35' 22.0"	180	85° 48' 5.0"	20° 35' 8.0"
114	85° 47' 57.0"	20° 35' 21.0"	181	85° 48' 5.0"	20° 35' 7.0"
115	85° 47' 56.0"	20° 35' 20.0"	182	85° 48' 5.0"	20° 35' 6.0"
116	85° 47' 55.0"	20° 35' 19.0"	183	85° 48' 5.0"	20° 35' 5.0"
117	85° 47' 54.0"	20° 35' 18.0"	184	85° 48' 5.0"	20° 35' 4.0"
118	85° 47' 53.0"	20° 35' 17.0"	185	85° 48' 5.0"	20° 35' 3.0"
119	85° 47' 52.0"	20° 35' 16.0"	186	85° 48' 5.0"	20° 35' 2.0"
120	85° 47' 51.0"	20° 35' 15.0"	187	85° 48' 5.0"	20° 35' 1.0"
121	85° 47' 50.0"	20° 35' 14.0"	188	85° 48' 5.0"	20° 35' 0.0"
122	85° 47' 49.0"	20° 35' 13.0"	189	85° 48' 5.0"	20° 34' 59.0"
123	85° 47' 48.0"	20° 35' 12.0"	190	85° 48' 5.0"	20° 34' 58.0"
124	85° 47' 47.0"	20° 35' 11.0"	191	85° 48' 5.0"	20° 34' 57.0"
125	85° 47' 46.0"	20° 35' 10.0"	192	85° 48' 5.0"	20° 34' 56.0"
126	85° 47' 45.0"	20° 35' 9.0"	193	85° 48' 5.0"	20° 34' 55.0"
127	85° 47' 44.0"	20° 35' 8.0"	194	85° 48' 5.0"	20° 34' 54.0"
128	85° 47' 43.0"	20° 35' 7.0"	195	85° 48' 5.0"	20° 34' 53.0"
129	85° 47' 42.0"	20° 35' 6.0"	196	85° 48' 5.0"	20° 34' 52.0"
130	85° 47' 41.0"	20° 35' 5.0"	197	85° 48' 5.0"	20° 34' 51.0"
131	85° 47' 40.0"	20° 35' 4.0"	198	85° 48' 5.0"	20° 34' 50.0"
132	85° 47' 39.0"	20° 35' 3.0"	199	85° 48' 5.0"	20° 34' 49.0"
133	85° 47' 38.0"	20° 35' 2.0"	200	85° 48' 5.0"	20° 34' 48.0"
134	85° 47' 37.0"	20° 35' 1.0"	201	85° 48' 5.0"	20° 34' 47.0"
135	85° 47' 36.0"	20° 35' 0.0"	202	85° 48' 5.0"	20° 34' 46.0"
136	85° 47' 35.0"	20° 34' 59.0"	203	85° 48' 5.0"	20° 34' 45.0"
137	85° 47' 34.0"	20° 34' 58.0"	204	85° 48' 5.0"	20° 34' 44.0"
138	85° 47' 33.0"	20° 34' 57.0"	205	85° 48' 5.0"	20° 34' 43.0"
139	85° 47' 32.0"	20° 34' 56.0"	206	85° 48' 5.0"	20° 34' 42.0"
140	85° 47' 31.0"	20° 34' 55.0"	207	85° 48' 5.0"	20° 34' 41.0"
141	85° 47' 30.0"	20° 34' 54.0"	208	85° 48' 5.0"	20° 34' 40.0"
142	85° 47' 29.0"	20° 34' 53.0"	209	85° 48' 5.0"	20° 34' 39.0"
143	85° 47' 28.0"	20° 34' 52.0"	210	85° 48' 5.0"	20° 34' 38.0"
144	85° 47' 27.0"	20° 34' 51.0"	211	85° 48' 5.0"	20° 34' 37.0"
145	85° 47' 26.0"	20° 34' 50.0"	212	85° 48' 5.0"	20° 34' 36.0"
146	85° 47' 25.0"	20° 34' 49.0"	213	85° 48' 5.0"	20° 34' 35.0"
147	85° 47' 24.0"	20° 34' 48.0"	214	85° 48' 5.0"	20° 34' 34.0"
148	85° 47' 23.0"	20° 34' 47.0"	215	85° 48' 5.0"	20° 34' 33.0"
149	85° 47' 22.0"	20° 34' 46.0"	216	85° 48' 5.0"	20° 34' 32.0"
150	85° 47' 21.0"	20° 34' 45.0"	217	85° 48' 5.0"	20° 34' 31.0"
151	85° 47' 20.0"	20° 34' 44.0"	218	85° 48' 5.0"	20° 34' 30.0"
152	85° 47' 19.0"	20° 34' 43.0"	219	85° 48' 5.0"	20° 34' 29.0"
153	85° 47' 18.0"	20° 34' 42.0"	220	85° 48' 5.0"	20° 34' 28.0"
154	85° 47' 17.0"	20° 34' 41.0"	221	85° 48' 5.0"	20° 34' 27.0"
155	85° 47' 16.0"	20° 34' 40.0"	222	85° 48' 5.0"	20° 34' 26.0"
156	85° 47' 15.0"	20° 34' 39.0"	223	85° 48' 5.0"	20° 34' 25.0"
157	85° 47' 14.0"	20° 34' 38.0"	224	85° 48' 5.0"	20° 34' 24.0"
158	85° 47' 13.0"	20° 34' 37.0"	225	85° 48' 5.0"	20° 34' 23.0"
159	85° 47' 12.0"	20° 34' 36.0"	226	85° 48' 5.0"	20° 34' 22.0"
160	85° 47' 11.0"	20° 34' 35.0"	227	85° 48' 5.0"	20° 34' 21.0"
161	85° 47' 10.0"	20° 34' 34.0"	228	85° 48' 5.0"	20° 34' 20.0"
162	85° 47' 9.0"	20° 34' 33.0"	229	85° 48' 5.0"	20° 34' 19.0"
163	85° 47' 8.0"	20° 34' 32.0"	230	85° 48' 5.0"	20° 34' 18.0"
164	85° 47' 7.0"	20° 34' 31.0"	231	85° 48' 5.0"	20° 34' 17.0"
165	85° 47' 6.0"	20° 34' 30.0"	232	85° 48' 5.0"	20° 34' 16.0"
166	85° 47' 5.0"	20° 34' 29.0"	233	85° 48' 5.0"	20° 34' 15.0"
167	85° 47' 4.0"	20° 34' 28.0"	234	85° 48' 5.0"	20° 34' 14.0"
168	85° 47' 3.0"	20° 34' 27.0"	235	85° 48' 5.0"	20° 34' 13.0"
169	85° 47' 2.0"	20° 34' 26.0"	236	85° 48' 5.0"	20° 34' 12.0"
170	85° 47' 1.0"	20° 34' 25.0"	237	85° 48' 5.0"	20° 34' 11.0"
171	85° 47' 0.0"	20° 34' 24.0"	238	85° 48' 5.0"	20° 34' 10.0"
172	85° 46' 59.0"	20° 34' 23.0"	239	85° 48' 5.0"	20° 34' 9.0"
173	85° 46' 58.0"	20° 34' 22.0"	240	85° 48' 5.0"	20° 34' 8.0"
174	85° 46' 57.0"	20° 34' 21.0"	241	85° 48' 5.0"	20° 34' 7.0"
175	85° 46' 56.0"	20° 34' 20.0"	242	85° 48' 5.0"	20° 34' 6.0"
176	85° 46' 55.0"	20° 34' 19.0"	243	85° 48' 5.0"	20° 34' 5.0"
177	85° 46' 54.0"	20° 34' 18.0"	244	85° 48' 5.0"	20° 34' 4.0"
178	85° 46' 53.0"	20° 34' 17.0"	245	85° 48' 5.0"	20° 34' 3.0"
179	85° 46' 52.0"	20° 34' 16.0"	246	85° 48' 5.0"	20° 34' 2.0"
180	85° 46' 51.0"	20° 34' 15.0"	247	85° 48' 5.0"	20° 34' 1.0"
181	85° 46' 50.0"	20° 34' 14.0"	248	85° 48' 5.0"	20° 34' 0.0"
182	85° 46' 49.0"	20° 34' 13.0"	249	85° 48' 5.0"	20° 33' 59.0"
183	85° 46' 48.0"	20° 34' 12.0"	250	85° 48' 5.0"	20° 33' 58.0"
184	85° 46' 47.0"	20° 34' 11.0"	251	85° 48' 5.0"	20° 33' 57.0"
185	85° 46' 46.0"	20° 34' 10.0"	252	85° 48' 5.0"	20° 33' 56.0"
186	85° 46' 45.0"	20° 34' 9.0"	253	85° 48' 5.0"	20° 33' 55.0"
187	85° 46' 44.0"	20° 34' 8.0"	254	85° 48' 5.0"	20° 33' 54.0"
188	85° 46' 43.0"	20° 34' 7.0"	255	85° 48' 5.0"	20° 33' 53.0"
189	85° 46' 42.0"	20° 34' 6.0"	256	85° 48' 5.0"	20° 33' 52.0"
190	85° 46' 41.0"	20° 34' 5.0"	257	85° 48' 5.0"	20° 33' 51.0"
191	85° 46' 40.0"	20° 34' 4.0"	258	85° 48' 5.0"	20° 33' 50.0"
192	85° 46' 39.0"	20° 34' 3.0"	259	85° 48' 5.0"	20° 33' 49.0"
193	85° 46' 38.0"	20° 34' 2.0"	260	85° 48' 5.0"	20° 33' 48.0"
194	85° 46' 37.0"	20° 34' 1.0"	261	85° 48' 5.0"	20° 33' 47.0"
195	85° 46' 36.0"	20° 34' 0.0"	262	85° 48' 5.0"	20° 33' 46.0"
196	85° 46' 35.0"	20° 33' 59.0"	263	85° 48' 5.0"	20° 33' 45.0"
197	85° 46' 34.0"	20° 33' 58.0"	264	85° 48' 5.0"	20° 33' 44.0"
198	85° 46' 33.0"	20° 33' 57.0"	265	85° 48' 5.0"	20° 33' 43.0"
199	85° 46' 32.0"	20° 33' 56.0"	266	85° 48' 5.0"	20° 33' 42.0"
200	85° 46' 31.0"	20° 33' 55.0"	267	85° 48' 5.0"	20° 33' 41.0"
201	85° 46' 30.0"	20° 33' 54.0"	268	85° 48' 5.0"	20° 33' 40.0"
202	85° 46' 29.0"	20° 33' 53.0"	269	85° 48' 5.0"	20° 33' 39.0"
203	85° 46' 28.0"	20° 33' 52.0"	270	85° 48' 5.0"	20° 33' 38.0"
204	85° 46' 27.0"	20° 33' 51.0"	271	85° 48' 5.0"	20° 33' 37.0"
205	85° 46' 26.0"	20° 33' 50.0"	272	85° 48' 5.0"	20° 33' 36.0"
206	85° 46' 25.0"	20° 33' 49.0"	273	85° 48' 5.0"	20° 33' 35.0"
207	85° 46' 24.0"	20° 33' 48.0"	274	85° 48' 5.0"	20° 33' 34.0"
208	85° 46' 23.0"	20° 33' 47.0"	275	85° 48' 5.0"	20° 33' 33.0"
209	85° 46' 22.0"	20° 33' 46.0"	276	85° 48' 5.0"	20° 33' 32.0"
210	85° 46' 21.0"	20° 33' 45.0"	277	85° 48' 5.0"	20° 33' 31.0"
211	85° 46' 20.0"	20° 33' 44.0"	278	85° 48' 5.0"	20° 33' 30.0"
212	85° 46' 19.0"	20° 33' 43.0"	279	85° 48' 5.0"	20° 33' 29.0"
213	85° 46' 18.0"	20° 33' 42.0"	280	85° 48' 5.0"	20° 33' 28.0"
214	85° 46' 17.0"	20° 33' 41.0"	281	85° 48' 5.0"	20° 33' 27.0"
215	85° 46' 16.0"	20° 33' 40.0"	282	85° 48' 5.0"	20° 33' 26.0"
216	85° 46' 15.0"	20° 33' 39.0"	283	85° 48' 5.0"	20° 33' 25.0"
217	85° 46' 14.0"	20° 33' 38.0"	284	85° 48' 5.0"	20° 33' 24.0"
218	85° 46' 13.0"	20° 33' 37.0"	285	85° 48' 5.0"	20° 33' 23.0"
219	85° 46' 12.0"	20° 33' 36.0"	286	85° 48' 5.0"	20° 33' 22.0"
220	85° 46' 11.0"	20° 33' 35.0"	287	85° 48' 5.0"	20° 33' 21.0"
221	85° 46' 10.0"	20° 33' 34.0"	288	85° 48' 5.0"	20° 33' 20.0"
222	85° 46' 9.0"	20° 33' 33.0"	289	85° 48' 5.0"	20° 33' 19.0"
223	85° 46' 8.0"	20° 33' 32.0"	290	85° 48' 5.0"	20° 33' 18.0"
224	85° 46' 7.0"	20° 33' 31.0"	291	85° 48' 5.0"	20° 33' 17.0"
225	85° 46' 6.0"	20° 33' 30.0"	292	85° 48' 5.0"	20° 33' 16.0"
226	85° 46' 5.0"	20° 33' 29.0"	293	85° 48' 5.0"	20° 33' 15.0"
227	85° 46' 4.0"	20° 33' 28.0"	294	85° 48' 5.0"	20° 33' 14.0"
228	85° 46' 3.0"	20° 33' 27.0"	295	85° 48' 5.0"	20° 33' 13.0"
229	85° 46' 2.0"	20° 33' 26.0"	296	85° 48' 5.0"	20° 33' 12.0"
230	85° 46' 1.0"	20° 33' 25.0"	297	85° 48' 5.0"	20° 33' 11.0"
231	85° 46' 0.0"	20° 33' 24.0"	298	85° 48' 5.0"	20° 33' 10.0"
232	85° 45' 59.0"	20° 33' 23.0"	299	85° 48' 5.0"	20° 33' 9.0"
233	85° 45' 58.0"	20° 33' 22.0"	300	85° 48' 5.0"	20° 33' 8.0"
234	85° 45' 57.0"	20° 33' 21.0"	301	85° 48' 5.0"	20° 33' 7.0"
235	85° 45' 56.0"	20° 33' 20.0"	302	85° 48' 5.0"	20° 33' 6.0"
236	85° 45' 55.0"	20° 33' 19.0"	303	85° 48' 5.0"	20° 33' 5.0"
237	85° 45' 54.0"	20° 33' 18.0"	304	85° 48' 5.0"	20° 33' 4.0"
238	85° 45' 53.0"	20° 33' 17.0"	305	85° 48' 5.0"	20° 33' 3.0"
239	85° 45' 52.0"	20° 33' 16.0"	306	85° 48' 5.0"	20° 33' 2.0"
240	85° 45' 51.0"	20° 33' 15.0"	307	85° 48' 5.0"	20° 33' 1.0"
241	85° 45' 50.0"	20° 33' 14.0"	308	85° 48' 5.0"	20° 33' 0.0"
242	85° 45' 49.0"	20° 33' 13.0"	309	85° 48' 5.0"	20° 32' 59.0"
243	85° 45' 48.0"	20° 33' 12.0"	310	85° 48' 5.0"	20° 32' 58.0"
244	85° 45' 47.0"	20° 33' 11.0"	311	85° 48' 5.0"	20° 32' 57.0"
245	85° 45' 46.0"	20° 33' 10.0"	312	85° 48' 5.0"	20° 32' 56.0"
246	85° 45' 45.0"	20° 33' 9.0"	313	85° 48' 5.0"	20° 32' 55.0"
247	85° 45' 44.0"	20° 33' 8.0"	314	85° 48' 5.0"	20° 32' 54.0"
248	85° 45' 43.0"	20° 33' 7.0"	315	85° 48' 5.0"	20° 32' 53.0"
249	85° 45' 42.0"	20° 33' 6.0"	316	85° 48' 5.0"	20° 32' 52.0"
250	85° 45' 41.0"	20° 33' 5.0"	317	85° 48' 5.0"	20° 32' 51.0"
251	85° 45' 40.0"	20° 33' 4.0"	318	85° 48' 5.0"	20° 32' 50.0"
252	85° 45' 39.0"	20° 33' 3.0"	319	85° 48' 5.0"	20° 32' 49.0"
253	85° 45' 38.0"	20° 33' 2.0"	320	85° 48' 5.0"	20° 32' 48.0"
254	85° 45' 37.0"	20° 33' 1.0"	321	85° 48' 5.0"	20° 32' 47.0"
255	85° 45' 36.0"	20° 33' 0.0"	322	85° 48' 5.0"	20° 32' 46.0"
256	85° 45' 35.0"	20° 32' 59.0"	323	85° 48' 5.0"	20° 32' 45.0"
257	85° 45' 34.0"	20° 32' 58.0"	324	85° 48' 5.0"	20° 32' 44.0"
258	85° 45' 33.0"	20° 32' 57.0"	325	85° 48' 5.0"	20° 32' 43.0"
259	85° 45' 32.0"	20° 32' 56.0"	326	85° 48' 5.0"	20° 32' 42.0"

STATEMENT OF GEO-COORDINATES OF PILLAR POSITIONS

Forest Division: **Athgarh** Forest Range : **Khuntuni** Forest Block Name: **Gobara-B RF**

Ground Control Point (GCP) References. (All coordinates in WGS84 datum & UTM Zone 45N projection)

GCP Type	GCP Location	Latitude(DMS)	Longitude(DMS)	Latitude(DD)	Longitude(DD)
FPCP	Khuntuni Range Office	20°33'43.052400"	85°43'40.152000"	20.56195900	85.72782000
FSCP1	Gobara-B RF , Pillar No- 1	20°37'4.610748"	85°48'30.909060"	20.61794743	85.80858585
FSCP2	Gobara-B RF , Pillar No- 82	20°36'6.971904"	85°48'56.456064"	20.60193664	85.81568224

Geo-coordinates of Boundary Pillar Position (Total: 133 nos.)

Pillar No	Latitude(DMS)	Longitude(DMS)	Latitude(DD)	Longitude(DD)
1	20°37'4.610748"	85°48'30.909060"	20.61794743	85.80858585
2	20°37'6.519180"	85°48'35.289684"	20.61847755	85.80980269
3	20°37'8.682456"	85°48'40.014216"	20.61907846	85.81111506
4	20°37'11.850492"	85°48'45.975204"	20.61995847	85.81277089
5	20°37'13.994112"	85°48'52.159464"	20.62055392	85.81448874
6	20°37'16.228524"	85°48'58.366008"	20.62117459	85.81621278
7	20°37'17.183784"	85°49'0.943752"	20.62143994	85.81692882
8	20°37'18.195672"	85°49'4.278648"	20.62172102	85.81785518
9	20°37'19.692984"	85°49'8.157648"	20.62213694	85.81893268
10	20°37'20.040132"	85°49'9.151824"	20.62223337	85.81920884
11	20°37'20.594136"	85°49'11.557848"	20.62238726	85.81987718
12	20°37'20.589636"	85°49'16.513428"	20.62238601	85.82125373
13	20°37'20.477460"	85°49'20.045712"	20.62235485	85.82223492
14	20°37'20.690796"	85°49'22.093644"	20.62241411	85.82280379
15	20°37'20.952300"	85°49'24.548736"	20.62248675	85.82348576
16	20°37'19.909092"	85°49'30.075600"	20.62219697	85.82502100
17	20°37'18.622128"	85°49'38.115516"	20.62183948	85.82725431
18	20°37'17.536980"	85°49'43.574052"	20.62153805	85.82877057
19	20°37'13.533384"	85°49'40.762524"	20.62042594	85.82798959
20	20°37'9.873552"	85°49'38.564724"	20.61940932	85.82737909
21	20°37'4.986516"	85°49'38.456976"	20.61805181	85.82734916
22	20°36'58.989600"	85°49'40.177200"	20.61638600	85.82782700
23	20°36'56.187684"	85°49'40.257912"	20.61560769	85.82784942
24	20°36'53.956224"	85°49'38.127108"	20.61498784	85.82725753
25	20°36'50.342796"	85°49'32.913084"	20.61398411	85.82580919
26	20°36'47.450952"	85°49'29.639676"	20.61318082	85.82489991
27	20°36'42.503796"	85°49'30.604332"	20.61180661	85.82516787
28	20°36'42.315804"	85°49'28.972128"	20.61175439	85.82471448
29	20°36'41.896080"	85°49'27.267456"	20.61163780	85.82424096
30	20°36'44.027856"	85°49'22.832004"	20.61222996	85.82300889
31	20°36'43.963920"	85°49'19.515396"	20.61221220	85.82208761
32	20°36'40.432320"	85°49'14.039400"	20.61123120	85.82056650
33	20°36'37.001592"	85°49'13.857888"	20.61027822	85.82051608
34	20°36'36.192708"	85°49'17.025996"	20.61005353	85.82139611

Pillar No	Latitude(DMS)	Longitude(DMS)	Latitude(DD)	Longitude(DD)
35	20°36'31.650156"	85°49'16.311792"	20.60879171	85.82119772
36	20°36'27.784296"	85°49'14.779452"	20.60771786	85.82077207
37	20°36'27.245304"	85°49'13.285704"	20.60756814	85.82035714
38	20°36'27.398592"	85°49'12.497160"	20.60761072	85.82013810
39	20°36'22.332312"	85°49'10.361028"	20.60620342	85.81954473
40	20°36'17.224560"	85°49'11.250912"	20.60478460	85.81979192
41	20°36'13.337640"	85°49'14.740032"	20.60370490	85.82076112
42	20°36'8.285616"	85°49'14.794644"	20.60230156	85.82077629
43	20°36'6.930000"	85°49'10.275600"	20.60192500	85.81952100
44	20°36'6.025932"	85°49'7.435704"	20.60167387	85.81873214
45	20°36'6.453900"	85°49'6.018528"	20.60179275	85.81833848
46	20°36'7.741008"	85°49'0.380928"	20.60215028	85.81677248
47	20°36'9.011052"	85°48'57.577536"	20.60250307	85.81599376
48	20°36'8.803008"	85°48'58.218768"	20.60244528	85.81617188
49	20°36'10.554048"	85°48'59.379264"	20.60293168	85.81649424
50	20°36'12.646908"	85°48'54.420768"	20.60351303	85.81511688
51	20°36'17.017452"	85°48'51.093432"	20.60472707	85.81419262
52	20°36'18.092016"	85°48'48.675636"	20.60502556	85.81352101
53	20°36'21.966336"	85°48'48.887856"	20.60610176	85.81357996
54	20°36'24.950088"	85°48'48.627396"	20.60693058	85.81350761
55	20°36'30.475800"	85°48'49.222116"	20.60846550	85.81367281
56	20°36'34.526016"	85°48'50.908572"	20.60959056	85.81414127
57	20°36'38.603196"	85°48'52.569540"	20.61072311	85.81460265
58	20°36'41.852484"	85°48'57.652236"	20.61162569	85.81601451
59	20°36'46.699992"	85°49'1.486416"	20.61297222	85.81707956
60	20°36'51.583104"	85°49'5.315340"	20.61432864	85.81814315
61	20°36'54.853884"	85°49'1.579116"	20.61523719	85.81710531
62	20°36'51.495228"	85°49'0.480324"	20.61430423	85.81680009
63	20°36'51.158628"	85°48'55.802268"	20.61421073	85.81550063
64	20°36'45.186696"	85°48'53.103276"	20.61255186	85.81475091
65	20°36'38.939508"	85°48'50.323860"	20.61081653	85.81397885
66	20°36'33.818184"	85°48'44.878716"	20.60939394	85.81246631
67	20°36'32.843484"	85°48'39.503700"	20.60912319	85.81097325
68	20°36'30.642948"	85°48'36.910440"	20.60851193	85.81025290
69	20°36'32.721444"	85°48'35.927892"	20.60908929	85.80997997
70	20°36'28.009188"	85°48'30.644244"	20.60778033	85.80851229
71	20°36'24.084972"	85°48'27.928656"	20.60669027	85.80775796
72	20°36'17.941284"	85°48'29.221740"	20.60498369	85.80811715
73	20°36'16.823196"	85°48'34.460172"	20.60467311	85.80957227
74	20°36'11.808432"	85°48'32.064840"	20.60328012	85.80890690
75	20°36'10.966752"	85°48'32.706216"	20.60304632	85.80908506
76	20°36'9.004320"	85°48'38.650536"	20.60250120	85.81073626
77	20°36'10.441836"	85°48'42.006960"	20.60290051	85.81166860
78	20°36'12.682476"	85°48'44.259048"	20.60352291	85.81229418
79	20°36'14.364252"	85°48'44.858412"	20.60399007	85.81246067
80	20°36'10.717452"	85°48'48.910716"	20.60297707	85.81358631

Pillar No	Latitude(DMS)	Longitude(DMS)	Latitude(DD)	Longitude(DD)
81	20°36'9.623664"	85°48'53.304336"	20.60267324	85.81480676
82	20°36'6.971904"	85°48'56.456064"	20.60193664	85.81568224
83	20°36'3.212064"	85°48'57.742920"	20.60089224	85.81603970
84	20°36'1.051956"	85°49'0.333516"	20.60029221	85.81675931
85	20°35'58.897104"	85°49'2.660376"	20.59969364	85.81740566
86	20°35'55.406544"	85°49'6.218364"	20.59872404	85.81839399
87	20°35'50.187588"	85°49'9.205860"	20.59727433	85.81922385
88	20°35'46.509216"	85°49'10.370064"	20.59625256	85.81954724
89	20°35'42.372924"	85°49'12.581868"	20.59510359	85.82016163
90	20°35'40.786008"	85°49'11.502084"	20.59466278	85.81986169
91	20°35'43.572876"	85°49'7.623624"	20.59543691	85.81878434
92	20°35'38.895360"	85°49'3.654228"	20.59413760	85.81768173
93	20°35'41.125632"	85°48'58.666140"	20.59475712	85.81629615
94	20°35'38.952456"	85°48'57.780432"	20.59415346	85.81605012
95	20°35'39.971112"	85°48'53.612568"	20.59443642	85.81489238
96	20°35'40.100604"	85°48'50.007132"	20.59447239	85.81389087
97	20°35'40.803000"	85°48'44.682192"	20.59466750	85.81241172
98	20°35'43.742220"	85°48'42.822288"	20.59548395	85.81189508
99	20°35'44.502648"	85°48'40.957848"	20.59569518	85.81137718
100	20°35'45.279348"	85°48'39.813408"	20.59591093	85.81105928
101	20°35'47.991840"	85°48'38.644848"	20.59666440	85.81073468
102	20°35'51.570528"	85°48'36.395604"	20.59765848	85.81010989
103	20°35'54.814560"	85°48'34.332552"	20.59855960	85.80953682
104	20°35'58.416144"	85°48'32.738724"	20.59956004	85.80909409
105	20°35'57.368256"	85°48'29.504808"	20.59926896	85.80819578
106	20°35'55.656168"	85°48'25.428456"	20.59879338	85.80706346
107	20°35'59.246844"	85°48'22.051224"	20.59979079	85.80612534
108	20°35'59.660412"	85°48'17.839116"	20.59990567	85.80495531
109	20°36'4.519656"	85°48'12.175560"	20.60125546	85.80338210
110	20°36'8.763336"	85°48'6.200208"	20.60243426	85.80172228
111	20°36'12.026304"	85°48'2.881656"	20.60334064	85.80080046
112	20°36'14.613588"	85°47'59.802180"	20.60405933	85.79994505
113	20°36'17.580420"	85°47'55.679820"	20.60488345	85.79879995
114	20°36'15.488100"	85°47'54.755376"	20.60430225	85.79854316
115	20°36'14.627232"	85°47'51.830196"	20.60406312	85.79773061
116	20°36'20.226636"	85°47'48.303312"	20.60561851	85.79675092
117	20°36'22.609872"	85°47'46.683312"	20.60628052	85.79630092
118	20°36'26.863488"	85°47'45.943008"	20.60746208	85.79609528
119	20°36'29.976192"	85°47'45.345840"	20.60832672	85.79592940
120	20°36'34.852464"	85°47'41.750016"	20.60968124	85.79493056
121	20°36'35.097444"	85°47'36.308148"	20.60974929	85.79341893
122	20°36'38.640384"	85°47'32.958456"	20.61073344	85.79248846
123	20°36'43.945236"	85°47'37.054572"	20.61220701	85.79362627
124	20°36'49.331736"	85°47'41.306460"	20.61370326	85.79480735
125	20°36'48.804840"	85°47'45.804552"	20.61355690	85.79605682
126	20°36'49.023756"	85°47'50.537508"	20.61361771	85.79737153

Pillar No	Latitude(DMS)	Longitude(DMS)	Latitude(DD)	Longitude(DD)
127	20°36'49.358700"	85°47'56.865048"	20.61371075	85.79912918
128	20°36'50.829588"	85°48'2.043216"	20.61411933	85.80056756
129	20°36'51.204636"	85°48'5.435388"	20.61422351	85.80150983
130	20°36'51.703884"	85°48'12.649140"	20.61436219	85.80351365
131	20°36'51.970356"	85°48'18.951264"	20.61443621	85.80526424
132	20°36'52.422948"	85°48'23.671872"	20.61456193	85.80657552
133	20°36'58.966416"	85°48'27.400104"	20.61637956	85.80761114

***** END of Statement*****

Printed and published by the Director, Directorate of Printing, Stationery and Publication, Odisha, Cuttack-10
Ex. Gaz. 1314—173+9